



**ZIP SYSTEM® WALL SHEATHING WITH VINYL / WOOD / FIBER CEMENT AND
ZIP SYSTEM® ROOF SHEATHING WITH TILE ROOF COVERING AT EAVE**

07C

ROOF ASSEMBLY

CLAY/CONCRETE TIL ROOF
ROOF UNDERLAYMENT (FOLLOW
APPLICABLE CODE REQUIREMENTS
FOR INSTALLATION)
ZIP SYSTEM® ROOF SHEATHING*
ROOF TRUSS

ZIP SYSTEM® TAPE (INSTALLED
OVER ALL JOINTS IN ZIP SYSTEM®
ROOF SHEATHING)

1/8-INCH GAP RECOMMENDED AT
PANEL EDGES UNLESS
OTHERWISE PROVIDED BY
MACHINED PROFILED EDGES


ROOF UNDERLAYMENT (SECOND
LAYER OF A TWO-LAYER
UNDERLAYMENT SYSTEM, INSTALLED
IN ACCORDANCE WITH LOCAL
BUILDING STANDARDS)

ICE DAM PROTECTION AS
PRESCRIBED BY LOCAL
BUILDING CODE.

SOFFIT VENT

WALL ASSEMBLY

VINYL/WOOD/FIBER CEMENT SIDING
(INSTALLED IN ACCORDANCE WITH
CLADDING MANUFACTURER'S
INSTALLATION RECOMMENDATIONS)
ZIP SYSTEM® WALL SHEATHING
WOOD OR LT. GA. METAL STUDS



*ZIP SYSTEM® ROOF SHEATHING IS APPROVED TO REPLACE THE FIRST LAYER OF A TWO-LAYER UNDERLAYMENT SYSTEM

DRAWING NOT TO SCALE

12-14-2007

Sales Office: 10925 David Taylor Drive - Suite 300 - Charlotte, NC 28262
Telephone: 800.933.9220 - Facsimile: 704.547.9228 - www.huberwood.com

another innovation from



**ENGINEERED
WOODS**

These construction details are provided to assist in the installation of ZIP System® product(s) and may not apply to every situation. Manufacturer accepts no responsibility or liability for the use of these or other construction details.