



ZIP SYSTEM® WALL SHEATHING WITH BRICK VENEER AND ZIP SYSTEM® ROOF SHEATHING WITH SHINGLE ROOF COVERING AT EAVE

07D

ROOF ASSEMBLY

ASPHALT-FIBERGLASS SHINGLES
ZIP SYSTEM® ROOF SHEATHING
ROOF TRUSS

ZIP SYSTEM® TAPE (INSTALLED
OVER ALL JOINTS IN ZIP SYSTEM®
ROOF SHEATHING)


1/8-INCH GAP RECOMMENDED AT
PANEL EDGES UNLESS
OTHERWISE PROVIDED BY
MACHINED PROFILED EDGES

ICE DAM PROTECTION AS
PRESCRIBED BY LOCAL
BUILDING CODE.

SOFFIT VENT

WALL ASSEMBLY

BRICK VENEER
AIR SPACE (AS PRESCRIBED BY
LOCAL BUILDING CODE)
ZIP SYSTEM® WALL SHEATHING
WOOD OR LT. GA. METAL STUDS



DRAWING NOT TO SCALE

12-14-2007

Sales Office: 10925 David Taylor Drive - Suite 300 - Charlotte, NC 28262
Telephone: 800.933.9220 - Facsimile: 704.547.9228 - www.huberwood.com

another innovation from



**ENGINEERED
WOODS**

These construction details are provided to assist in the installation of ZIP System® product(s) and may not apply to every situation. Manufacturer accepts no responsibility or liability for the use of these or other construction details.