

WALL ASSEMBLY

VINYL/WOOD/FIBER CEMENT SIDING (INSTALLED IN ACCORDANCE WITH CLADDING MANUFACTURER'S INSTALLATION RECOMMENDATIONS)
ZIP SYSTEM® WALL SHEATHING
WOOD OR LIGHT GAUGE METAL STUDS

TOP EDGE OF FLASHING TAPED TO WALL SHEATHING WITH ZIP SYSTEM® TAPE OR ADHESIVE BACKED FLASHING. (MUST MEET AC148)

ADHESIVE BACKED FLASHING RECOMMENDED (MUST MEET AC148)

CODE APPROVED FLASHING

ROOF ASSEMBLY


METAL ROOF COVERING
ROOF UNDERLAYMENT
PLYWOOD OR OSB SHEATHING
ROOF TRUSS OR RAFTERS

TOP EDGE OF FLASHING TAPED TO WALL SHEATHING WITH ZIP SYSTEM® TAPE OR ADHESIVE BACKED FLASHING. (MUST MEET AC148)

ADHESIVE BACKED FLASHING RECOMMENDED (MUST MEET AC148)

CODE APPROVED FLASHING LAPPED OVER STANDING SEAM METAL ROOF

ROOF UNDERLAYMENT



DRAWING NOT TO SCALE