




**ZIP SYSTEM® ROOF SHEATHING WITH METAL ROOF COVERING  
AND ZIP SYSTEM® WALL SHEATHING AT WOOD CHIMNEY FLUE**

**22B**



ZIP SYSTEM® WALL SHEATHING  
ON WOOD-FRAMED CHIMNEY  
FLUE

INSTALL ZIP SYSTEM®  
TAPE ON ALL JOINTS OF  
CHIMNEY CRICKET

LAP ZIP SYSTEM® TAPE OR  
ADHESIVE BACKED FLASHING.  
(MUST MEET AC148) OVER TOP  
OF CONTINUOUS FLASHING

METAL ROOF COVERING - FASTEN PER  
CODE USING FASTENERS COMPATIBLE  
WITH SPECIFIC METAL ROOF COVERING

CODE-APPROVED FLASHING  
AT ROOF TO CHIMNEY  
INTERSECTION

ZIP SYSTEM® TAPE OR ADHESIVE  
BACKED FLASHING (MUST MEET AC148)  
INSTALLED AT JOINT BETWEEN ZIP  
SYSTEM® WALL AND ROOF SHEATHING\*

ZIP SYSTEM® ROOF SHEATHING)

ZIP SYSTEM® TAPE (INSTALLED  
OVER ALL JOINTS IN ZIP SYSTEM®  
WALL AND ROOF SHEATHING)

FLASHING PER MANUFACTURER'S  
INSTALLATION INSTRUCTIONS

1/8-INCH GAP RECOMMENDED AT PANEL  
EDGES UNLESS OTHERWISE PROVIDED  
BY MACHINED PROFILED EDGES

\*ZIP SYSTEM® TAPE ROOF TO WALL CONNECTION OPTIONS:  
OPTION 1: ONE STRIP OF 6" WIDE ZIP SYSTEM® TAPE OR ADHESIVE BACKED FLASHING (MUST MEET AC148) WITH 3" ON EITHER SIDE OF JOINT.  
OPTION 2: TWO STRIPS OF OVERLAPPING 3.75" WIDE ZIP SYSTEM® TAPE (PLACE FIRST PIECE WITH 1" OVERLAPPING JOINT AND 2.75" ON OPPOSITE FACE - REVERSE FOR SECOND PIECE)

**DRAWING NOT TO SCALE**

12-14-2007

Sales Office: 10925 David Taylor Drive - Suite 300 - Charlotte, NC 28262  
Telephone: 800.933.9220 - Facsimile: 704.547.9228 - www.huberwood.com

*another innovation from*



**ENGINEERED  
WOODS**

These construction details are provided to assist in the installation of ZIP System® product(s) and may not apply to every situation. Manufacturer accepts no responsibility or liability for the use of these or other construction details.